



Original instructions

World Leader in Air Cooling



#

Certifications may vary from model to model.

Owner's Manual & Warranty Card


Before use of this product please read and preserve these important instructions.

natural cooling

Symphony[®]


www.symphonylimited.com

How to install and operate Symphony Cooler




Take the cooler out from carton, Remove all protective covers. Place the cooler in front of an open window or install in a window for effective cooling. Selected Models can also be placed on trolleys. Do not use cooler in a closed room.


Ensure power supply is as specified for the cooler. There should not be any spikes in supply voltage. For operating on inverter, the cooler needs to be connected to only **sine-wave inverter** of appropriate rating.




Disconnect the power cord while filling the water. As per the provision in your model, pour water by lifting the lid front inlet or through spout at the back. You may also add ice cubes for faster cooling. Water can be poured up to the highest point (or MAX) of the water level indicator. You may keep a small container below over flow hole, to avoid spillage of water on your floor/carpet. For longer life of pump, always operate it with sufficient water in the tank.




Float valve facility is available in Selected Models. Make provision for automatic water filling to the cooler. Ensure proper connection of water inlet pipe into the float valve to avoid leakage.




Plug in to power source and switch on.




Switch on the pump of the cooler by putting the cool mode but keeping the airflow control in OFF position. Wait for 5 minutes for the pad to get wet properly.*




Set controls as desired.



For maximum air and cooling turn the air flow control to "High"



Adjust horizontal louver manually as desired.




Keep the doors & windows open for optimum cooling performance. always keep the cooler in front of an open window.




Sit back and enjoy.

* Not applicable to Storm 70i & Storm 100i model

How to operate Remote Control models



Remote Control*



Control Panel*

Remote Control & Control Panel may vary from model to model

OPERATION



Press to turn the air cooler On and Off



Press to change the fan speed between low, medium and high. The selected fan speed will be illuminated.



Press to activate the swing mode. The airflow will gently swing from left to right. The vertical direction of the airflow can be adjusted manually. The Swing symbol will be illuminated when the function is active. Press again to turn it off.



WHILE THE UNIT IS RUNNING: Repeatedly press the timer button to select in how many hours the unit should turn off, upto a maximum of 7 hours. The duration of the timer is shown by the addition of the illuminated timer lights i.e. 2hr + 1hr = 3 hours.



Press to activate the evaporative cooling. Ensure that the water level is sufficient for operation. When this function is not turned on the unit will operate as a fan / air purifier.

DISPLAY PANEL



WATER TANK EMPTY
Refill the water tank before using cooling mode.



LOW SPEED




MEDIUM SPEED



HIGH SPEED

How to operate Remote Control models - Storm 100i & 70i




Remote Control & Control Panel may vary from model to model

1. POWER [⏻]: Power On and OFF
2. ON/OFF TIMER [⌚]:
ON TIMER : To set the ON timer, switch on the power supply then press the power button. ON timer icon in LCD will blink for 10 seconds, press the timer button in this duration and set the desired ON time. ON time can be set in intervals of 30 minutes up to 24 hours., the set time will be displayed.
OFF TIMER : This will work when the cooler is running. You can set the OFF time in intervals of 30 minutes by pressing the timer button. Each press will increase the OFF time by 30 minutes up to 12 hours.
3. COOL [❄️]: Press the button to switch ON/OFF the pump. Cool Icon will appear on LCD when switched On. The Pump will start only when sufficient water is in the tank, this will be indicated by water symbol displayed on LCD. Pump will not start if the water level is low and this will be indicated by a buzzer for 5 seconds and water symbol on LCD will blink.
4. FAN +/- [🌀]: Fan+ will increase the speed by pressing button each time from any speed between 1 to 8 level & similarly Fan- will decrease the Fan speed
5. SWING [↕]: Press button to switch on/off the swing function.
6. AUTO [🌀]: Auto function - The speed varies randomly to give the feel of natural breeze
7. IONIZER [🌀]: Ionizer function - ON and OFF (in selected models / optional)
8. This cooler must be moved only by properly holding the handle (given on top)

General: LCD background will turn off after 30 seconds and will re-appear while pressing any function keys

How to operate Remote Control models - Hi cool I, Diet i range, Winter i, Ninja i XL, Ice Cube i & other models



Remote Control*

Control Panel*


Remote Control & Control Panel may vary from model to model

1. POWER (ON/OFF) [⏻]: Press the button to switch on/off the cooler. Icon will glow with RED colour at ON position and RED colour at OFF position
2. COOL [❄️]: Press the button to switch ON/OFF the pump. Cool Icon will glow when switched On. The Pump will start only when sufficient water is in the tank, indicated by water icon glowing in RED. Low water level will be indicated by a buzzer for 5 seconds and water icon will start blinking in RED colour. (Except Diet 12i, 8i & Ice Cube I)
3. FAN [🌀]: When started, the fan icon will glow. Press the button for High, Medium and Low speeds. The selected speed will be indicated by glowing LED.
4. SWING [↕]: Press button to switch on/off the swing function. Swing icon will glow when switched ON
5. TIMER [⌚]: Press the button to set OFF timer from 1- 7 hours in intervals of 1hr. Timer icon will glow when timer is switched ON and the glowing LEDs will indicate the total OFF time set.

* Shape and size can vary as per respective models.

Maintenance Tips

- 1) Disconnect the power cord before servicing or maintenance.
- 2) Do not make loose wiring or use inferior material in servicing or maintenance to avoid fire hazard.
- 3) Please stop the device and contact the authorized service provider in case of electric shock found on cooler.
- 4) Please disconnect the power supply before opening any cover to avoid injury due to rotating part / electric shock
- 5) To clean the tank remove drain plug. Drain out all the residual water. Draining out of stagnant water regularly from tank is necessary to keep your environment hygienic.
- 6) To clean the cooling pad, please unplug the cooler; apply low water pressure with the help of pipe on cooling pad from outside. Depending on the surrounding environment, clean the pad at least once or twice in a year,
- 7) Under no circumstances, customer should open the cooler.
- 8) In case of any difficulties, please contact symphony customer care help line no. 9510976161
- 9) Always use clean tap water.



Cleaning of cooler by draining the water

To drain the left over water from the tank pull to remove the drain plug given at the lower back side of the tank. After draining, push to fix the drain plug properly.

It is advisable to drain water on regular basis for better performance & longer life of pads

Trouble Shooting

Do not repair or disassemble the unit by yourself, unauthorized repair attempts will invalidate the warranty and may cause bodily harm.

Trouble	Cause	Remedy
Less Cooling	Pump is switched OFF	Switch ON the pump
	Humidity control OFF (Selected models)	Ensure that the humidity control knob is ON.
	No air circulation	Ensure cross ventilation
Water Leakage	Drain plug is displaced	Ensure that the drain plug is positioned properly
	Grill lock is disengaged	Relock the grill
	Cooling pad is sagged	Change the cooling pads
Fan not Working	Airflow switch is turned OFF	Switch ON the fan by selecting the required speed
	Loose contact at socket	Rectify faulty wiring / Socket in the house
	Switch or Motor Malfunction	Call symphony UK customer care help line
Shock on Cooler	Device malfunction	Call symphony UK customer care help line

If the above solutions do not resolve the problem please contact the service centre.


Note : The blower/fan motor comes equipped with thermal overload protection.

Warning

1. Unplug and disconnect the cooler from power source before attempting any maintenance, service or cleaning and filling water.
2. If the supply cord is damaged, it must be replaced by authorised service provider in order to avoid hazard. Do not operate the product with a damaged power cord or plug.
3. To avoid electric shock, connect only to an outlet provided with a ground fault circuit interrupting device. (ELCB = Earth leakage current breaker)
4. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
5. Children of less than 3 years should be kept away unless continuously supervised.
6. Children aged 3 years and above shall only switch on/off the appliance provided that it has been placed or installed in its intended normal operating position and they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children aged 3 years and above shall not plug in, regulate and clean the appliance or perform user maintenance
7. Children must not be allowed to play with cooler.
8. This appliance is not intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (vapour or gas).
9. This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.



This marking indicates that this product should not be disposed off with other household wastes through out the EU and other applicable countries. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly. If you wish to discard this product please contact your local authorities or dealer from where it was purchased and ask for correct method of disposal.



Symphony cooler works on inverter. The inverter should be of sine-wave type of appropriate rating.



Cooling performances depends on temperature of water used relative humidity and ambient temperature

WARRANTY REGISTRATION CARD

Product Sr. No.

Date of Purchase ___/___/_____

Model : _____

Name : _____

Address : _____

E-mail : _____

Mobile : _____ Phone : _____

Condition of warranty

We extend this limited warranty to the original buyer (first retail purchaser) and warranty that the product shall be free from manufacturer defects in workmanship and materials for 12 months from the date of purchase. a. Warranty will come in with effect when the following conditions are met with a) Warranty registration card duly filled and received by the company within 10 days from the date of purchase. b) Product is operated following the recommendations explained inside the user manual. b. The company's liability under the warranty will be limited only to motor, pump, louver motor, remote, PCB and restricted to any such defect which occurs under conditions of normal operations and under proper use. Any part/s replaced by the company at its discretion shall be a functionally operative unit. c. This warranty shall not apply to product: 1) Which have not been purchased from authorized distributor through their network or company's authorized retail stores, 2) Which have been altered / opened by any other personnel not authorized by the company, 3) Incorrectly used in combination with any other substance or products, 4) Which are used for rental purpose and / or which develops problems due to faulty care or maintenance and alterations to product or its parts. 5) Which is subjected to electrical supply for which the product is not designed, 6) Warranty will void if the product is operated with a sub-standard inverter or non-sine wave inverter. 7) If documentation of buying is not available to validate an original purchase. d. While the company will make every effort to carry out the repairs at the earliest, it however is made expressly clear that the company is under no obligation to do so in a specified period. e. This warranty shall automatically terminate on expiry of the warranty period of 12 months from the date of purchase even if the product may not be used for any time during the warranty period for any reason whatsoever. f. Cooling pads and outer plastic parts are not covered under warranty. g. The company shall not be liable in any case for any loss or damage caused to any property, death or disability caused to any human life arising out of fire, electrical fault, short circuit, accidental handling or any kind of natural calamity. As, such the company's liability is limited to the cost of the spare parts of the said products only. h. Change of address of the customers must be intimated to the company without which the warranty shall not be operational. i. Due to ongoing research and development, the company holds the rights to modify the product without any prior notice or obligation to buyers. j. Purchaser should retain the purchase bill as evidence of the date of purchase. Copy of the purchase invoice should be given to the visiting service engineer while attending the complaint. In case of any alteration in the date of purchase invoice is found without sign and seal of the dealer, the warranty shall be void. k. During the warranty, customer is not entitled for exchange of product or refund money. l. The court/Consumer forums only at Ahmedabad, Gujarat, India shall have exclusive jurisdiction for any disputes arising out of this sale/transaction. m. Service for this product shall be provided by Authorized Service Provider. You may register warranty by log on to www.symphonylimited.com/warranty Warranty will be applicable if registered within 10 days of purchase. n. The above warranty conditions shall be applicable for domestic service only to the sales in the domestic markets of India, excluding north-eastern states, Andaman & Lakshadweep. For overseas market the warranty will be given by the local distributor of the respective country.

Company has four types of call registration facilities for customers.

1. Warranty registration through Website - visit www.symphonylimited.com/warranty-registration
2. Registration through Customer Care number – 9510976161
3. Registration through WhatsApp – 9510976161 only for customer.

Symphony Limited

Symphony House, FP12-TP50 Bodakdev,
Off SG Highway, Ahmedabad 380059, India.
E-mail : services@symphonylimited.com

Dealer's name
& signature

FOR SERVICE / WARRANTY REGISTRATION (INDIA)



symphonylimited.com/care



Call

OR



WhatsApp
'Hi' on

OR

9510976161

Scan



Symphony Limited

Symphony House, FP12-TP50 Bodakdev, Off SG Highway, Ahmedabad 380059, India.
E-mail : services@symphonylimited.com

natural cooling

Symphony[®]

www.symphonylimited.com